


**DIN 7505 / A2**

**Viti per legno a testa svasata piana  
Pozidrive**



| d                 | 3           | 3,5         | 4          | 4,5        | 5          | 6          |
|-------------------|-------------|-------------|------------|------------|------------|------------|
| l/mm              |             |             |            |            |            |            |
| 12                | ●           | ●           | ●          |            |            |            |
| 13                | ●           | ●           | ●          |            |            |            |
| 14                | ●           |             |            |            |            |            |
| 16                | ●           | ●           | ●          | ●          |            |            |
| 20                | ●           | ●           | ●          | ●          | ●          | ●          |
| 25                | ●           | ●           | ●          | ●          | ●          | ●          |
| 30                | ●           | ●           | ●          | ●          | ●          | ●          |
| 35                | ●           | ●           | ●          | ●          | ●          | ●          |
| 40                | ●           | ●           | ●          | ●          | ●          | ●          |
| 45                |             | ●           | ●          | ●          | ●          | ●          |
| 50                |             | ●           | ●          | ●          | ●          | ●          |
| 55                |             |             | ●          | ●          | ●          | ●          |
| 60                |             |             | ●          | ●          | ●          | ●          |
| 65                |             |             | ●          | ●          | ●          | ●          |
| 70                |             |             | ●          | ●          | ●          | ●          |
| 75                |             |             | ●          | ●          | ●          | ●          |
| 80                |             |             | ●          | ●          | ●          | ●          |
| 90                |             |             |            |            | ●          | ●          |
| 100               |             |             |            |            | ●          | ●          |
| 110               |             |             |            |            | ●          | ●          |
| 120               |             |             |            |            | ●          | ●          |
| 130               |             |             |            |            |            | ●          |
| 140               |             |             |            |            |            | ●          |
| <i>dk max</i>     | 6           | 7           | 8          | 9          | 10         | 12         |
| <i>k min</i>      | 1,5         | 1,75        | 2          | 2,25       | 2,5        | 3          |
| <b>confezione</b> | <b>1000</b> | <b>1000</b> | <b>500</b> | <b>500</b> | <b>200</b> | <b>200</b> |
|                   |             |             |            | ≤ 40       | ≤ 70       | ≤ 70       |
|                   |             |             |            | <b>200</b> | <b>100</b> | <b>100</b> |
|                   |             |             |            | >40        | >70        | >70        |